



**RANGE SUMMARY**

# Introduction to . . . The VARTA RM Range



VARTA® pocket plate NiCd cells are suitable for industrial applications requiring proven reliability and the highest safety integrity. The RM range is optimised for applications covering discharges of 30 minutes to 3 hours or more.

Typical RM battery applications include railway, telecommunications, UPS, and marine.

With over 100 years of experience in the design and manufacture of NiCd batteries, supported by an ethos of continuous improvement and technical development, EnerSys™ offers a world-leading range of solutions to suit varying applications.

Cost effectiveness, safety and durability make the VARTA RM range NiCd battery one of the most reliable and powerful systems on the market.

## Features & Benefits


- Capacity Range: 11Ah - 1250Ah
- Recommended discharge time: 30 min to 180 min
- High final discharge voltage (1,15 V/cell) at a discharge rate of 5 hours with 0.2 C<sub>5</sub>A
- Excellent resistance against electrical and mechanical stress
- No risks of terminal decomposition or sudden death due to the plate construction
- Operational temperature: - 40°C to + 50°C
- Proven long service life: 20 years in stationary cycling operations
- Long storage life
- Robust construction - hard-wearing and insensitive to faults in maintenance
- Generous electrolyte reserve - long maintenance interval
- Translucent plastic cases for visible electrolyte level
- Conforms to IEC60623/KM...P

## General Specifications

Type*	Capacity (Ah)		Nominal Dimensions						Weight		Terminal				
	as per IEC60623 cl. 1.3.3.		Length mm	in	Width mm	in	Height mm	in	Height* mm	in		Without electrolyte kg	lbs	Total weight kg	lbs
RM 11	11		46	1.8	85	3.3	167	6.6	187	7.4	0.71	1.6	1.03	2.3	M10 M
RM 18	18		46	1.8	85	3.3	237	9.3	257	10.1	1.04	2.3	1.48	3.3	M10 M
RM 24	24		46	1.8	85	3.3	237	9.3	257	10.1	1.20	2.6	1.59	3.5	M10 M
RM 30	30		46	1.8	85	3.3	237	9.3	257	10.1	1.35	3.0	1.72	3.8	M10 M
RM 40	40		85	3.3	85	3.3	237	9.3	257	10.1	1.88	4.1	2.76	6.1	M10 M
RM 48	48		85	3.3	85	3.3	237	9.3	257	10.1	2.05	4.5	2.82	6.2	M10 M
RM 55	55		85	3.3	85	3.3	237	9.3	257	10.1	2.30	5.1	2.97	6.5	M10 M
RM 65	65		53	2.1	134	5.3	364	14.3	392	15.4	3.56	7.8	4.85	10.7	M8 F
RM 75	75		53	2.1	134	5.3	364	14.3	392	15.4	3.78	8.3	5.00	11.0	M8 F
RM 90	90		69	2.7	134	5.3	364	14.3	392	15.4	4.36	9.6	6.18	13.6	M8 F
RM 110	110		69	2.7	134	5.3	364	14.3	392	15.4	4.94	10.8	6.51	14.4	M8 F
RM 125	125		70	2.8	164	6.5	364	14.3	392	15.4	5.61	12.4	7.67	16.9	M8 F
RM 140	140		70	2.8	164	6.5	364	14.3	392	15.4	6.04	13.3	7.84	17.3	M8 F
RM 160	160		108	4.2	164	6.5	364	14.3	392	15.4	6.92	15.3	10.61	23.4	M8 F
RM 185	185		108	4.2	164	6.5	364	14.3	392	15.4	7.50	16.5	10.91	24.1	M8 F
RM 205	205		108	4.2	164	6.5	364	14.3	392	15.4	8.27	18.2	11.17	24.6	M8 F
RM 225	225		108	4.2	164	6.5	364	14.3	392	15.4	8.82	19.4	11.62	25.6	M8 F
RM 250	250		108	4.2	164	6.5	364	14.3	392	15.4	9.62	21.2	12.22	26.9	M8 F
RM 270	270		164	6.5	158	6.2	364	14.3	392	15.4	11.20	24.7	16.30	35.9	M10 F
RM 300	300		164	6.5	158	6.2	364	14.3	392	15.4	11.50	25.5	16.50	36.4	M10 F
RM 320	320		164	6.5	158	6.2	364	14.3	392	15.4	12.20	26.9	17.00	37.5	M10 F
RM 340	340		164	6.5	158	6.2	364	14.3	392	15.4	13.00	28.7	17.50	38.6	M10 F
RM 355	355		164	6.5	158	6.2	364	14.3	392	15.4	13.70	30.2	18.00	39.7	M10 F
RM 380	380		164	6.5	158	6.2	364	14.3	392	15.4	14.40	31.7	18.50	40.8	M10 F
RM 400	400		164	6.5	158	6.2	364	14.3	392	15.4	15.10	33.3	18.90	41.7	M10 F
RM 450	450		176	6.9	246	9.7	382	15.0	408	16.1	20.00	44.1	27.30	60.2	M10 F
RM 500	500		176	6.9	246	9.7	382	15.0	408	16.1	21.20	46.7	28.30	62.4	M10 F
RM 550	550		176	6.9	246	9.7	382	15.0	408	16.1	22.40	49.4	29.30	64.6	M10 F
RM 600	600		176	6.9	368	14.5	382	15.0	408	16.1	27.00	59.5	40.70	89.7	M10 F
RM 675	675		176	6.9	368	14.5	382	15.0	408	16.1	29.50	65.0	41.90	92.4	M10 F
RM 750	750		176	6.9	368	14.5	382	15.0	408	16.1	32.00	70.5	43.10	95.0	M10 F
RM 1000	1000		176	6.9	448	17.6	382	15.0	408	16.1	42.80	94.4	56.00	123.5	M10 F
RM 1250	1250		176	6.9	558	22.0	382	15.0	408	16.1	52.40	115.5	68.90	151.9	M10 F

\* Includes height over terminals

## Battery Layout



Current (Amps) to 1.15V @ 20°C (68°F)

Type	Minutes				Hours									
	5	10	20	30	1	1.5	2	3	5	6	7	8	9	10
RM 11	8.00	7.40	6.60	6.20	5.10	4.29	3.70	2.86	2.20	1.85	1.60	1.42	1.27	1.16
RM 18	13.10	12.20	10.80	10.10	8.30	7.00	6.10	4.68	3.60	3.03	2.62	2.32	2.08	1.89
RM 24	17.50	16.20	14.40	13.50	11.00	9.40	8.10	6.24	4.80	4.04	3.50	3.09	2.77	2.52
RM 30	21.90	20.30	18.00	16.90	13.80	11.70	10.10	7.80	6.00	5.05	4.37	3.86	3.47	3.15
RM 40	30.80	27.10	24.00	22.50	18.30	15.60	13.40	10.40	8.00	6.73	5.83	5.15	4.62	4.20
RM 48	40.40	35.60	31.50	29.60	23.50	20.50	17.70	13.50	9.60	8.08	6.99	6.18	5.55	5.04
RM 55	50.00	44.00	39.00	36.60	28.60	25.30	22.00	16.50	11.00	9.26	8.01	7.08	6.36	5.78
RM 65	51.00	48.00	44.00	41.00	32.00	27.10	23.90	17.80	13.00	10.90	9.50	8.40	7.50	6.80
RM 75	59.00	56.00	50.00	47.00	37.00	31.30	27.50	20.50	15.00	12.60	10.90	9.70	8.70	7.90
RM 90	71.00	67.00	61.00	56.00	44.00	37.60	33.10	24.60	18.00	15.20	13.10	11.60	10.40	9.50
RM 110	87.00	82.00	74.00	69.00	54.00	45.90	40.40	30.10	22.00	18.50	16.00	14.20	12.70	11.60
RM 125	98.00	88.00	81.00	78.00	59.00	51.00	44.50	35.40	25.00	21.00	18.20	16.10	14.40	13.10
RM 140	109.00	99.00	89.00	81.00	66.00	57.00	49.90	39.60	28.00	23.60	20.40	18.00	16.20	14.70
RM 160	125.00	113.00	101.00	92.00	76.00	65.00	57.00	45.30	32.00	26.90	23.30	20.60	18.50	16.80
RM 185	144.00	131.00	117.00	106.00	88.00	75.00	66.00	52.30	37.00	31.10	27.00	23.80	21.40	19.40
RM 205	160.00	145.00	130.00	118.00	97.00	83.00	73.00	58.00	41.00	34.50	29.90	26.40	23.70	21.50
RM 225	169.00	153.00	137.00	124.00	102.00	91.00	80.00	60.00	45.00	37.90	32.80	29.00	26.00	23.60
RM 250	187.00	170.00	152.00	138.00	114.00	101.00	89.00	66.70	50.00	42.10	36.40	32.20	28.90	26.30
RM 270	202.00	183.00	164.00	149.00	123.00	109.00	96.00	72.00	54.00	45.50	39.30	34.80	31.20	28.40
RM 300	232.00	215.00	191.00	177.00	146.00	132.00	112.00	84.00	60.00	50.50	43.70	38.60	34.70	31.50
RM 320	248.00	229.00	203.00	189.00	156.00	141.00	120.00	89.60	64.00	53.90	46.60	41.20	37.00	33.60
RM 340	263.00	243.00	216.00	201.00	166.00	150.00	127.00	95.20	68.00	57.20	49.50	43.80	39.30	35.70
RM 355	275.00	254.00	226.00	209.00	173.00	157.00	133.00	99.00	71.00	59.80	51.70	45.70	41.00	37.30
RM 380	294.00	272.00	242.00	224.00	185.00	168.00	142.00	106.00	76.00	64.00	55.40	48.90	43.90	39.90
RM 400	302.00	279.00	248.00	230.00	190.00	172.00	146.00	112.00	80.00	67.30	58.30	51.50	46.20	42.00
RM 450	337.00	306.00	277.00	248.00	205.00	192.00	180.00	135.00	90.00	76.00	66.00	58.00	52.00	47.00
RM 500	374.00	340.00	308.00	276.00	228.00	213.00	200.00	150.00	100.00	84.00	73.00	64.00	58.00	52.00
RM 550	412.00	374.00	339.00	303.00	251.00	235.00	220.00	165.00	110.00	93.00	81.00	71.00	64.00	57.00
RM 600	449.00	408.00	369.00	331.00	273.00	256.00	240.00	180.00	120.00	101.00	87.00	77.00	69.00	63.00
RM 675	506.00	459.00	416.00	372.00	308.00	288.00	270.00	203.00	135.00	114.00	98.00	87.00	78.00	71.00
RM 750	562.00	510.00	462.00	413.00	342.00	320.00	300.00	225.00	150.00	126.00	109.00	97.00	87.00	79.00
RM 1000	749.00	680.00	616.00	551.00	456.00	427.00	400.00	300.00	200.00	168.00	146.00	129.00	116.00	105.00
RM 1250	936.00	850.00	769.00	689.00	569.00	533.00	500.00	375.00	250.00	210.00	182.00	161.00	144.00	131.00

Current (Amps) to 1.10V @ 20°C (68°F)

Type	Minutes				Hours									
	5	10	20	30	1	1.5	2	3	5	6	7	8	9	10
RM 11	11.70	10.20	8.60	8.00	6.50	5.24	4.47	3.30	2.33	1.95	1.68	1.47	1.32	1.19
RM 18	19.10	16.60	14.10	13.10	10.60	8.60	7.30	5.40	3.82	3.20	2.75	2.42	2.16	1.95
RM 24	25.40	22.20	18.80	17.40	14.10	11.40	9.80	7.20	5.09	4.26	3.66	3.22	2.87	2.60
RM 30	31.80	27.70	23.50	21.80	17.60	14.30	12.20	9.00	6.36	5.32	4.58	4.02	3.59	3.24
RM 40	38.80	34.50	30.80	28.30	23.40	19.00	16.40	12.00	8.48	7.09	6.11	5.36	4.79	4.32
RM 48	50.90	45.30	40.40	37.20	28.80	24.20	20.60	15.10	10.00	8.37	7.20	6.33	5.64	5.10
RM 55	63.00	56.00	50.00	46.00	34.10	29.40	24.80	18.10	11.50	9.62	8.28	7.27	6.49	5.87
RM 65	71.00	66.00	59.00	54.00	41.00	33.40	28.80	20.40	13.80	11.55	9.94	8.73	7.79	7.04
RM 75	82.00	76.00	68.00	62.00	48.00	38.60	33.20	23.50	15.90	13.30	11.45	10.06	8.97	8.11
RM 90	98.00	92.00	82.00	74.00	57.00	46.30	39.80	28.20	19.10	15.98	13.75	12.08	10.78	9.74
RM 110	120.00	112.00	100.00	91.00	70.00	56.60	48.70	34.50	23.30	19.49	16.78	14.74	13.15	11.88
RM 125	128.00	116.00	107.00	98.00	75.00	64.00	54.30	39.60	26.30	22.00	18.90	16.60	14.80	13.40
RM 140	143.00	130.00	120.00	109.00	88.00	72.00	60.80	44.40	29.40	24.60	21.20	18.60	16.60	15.00
RM 160	164.00	148.00	137.00	125.00	101.00	82.00	69.50	50.70	33.60	28.10	24.20	21.30	19.00	17.10
RM 185	190.00	171.00	158.00	144.00	116.00	95.00	80.00	58.70	38.90	32.50	28.00	24.60	22.00	19.80
RM 205	210.00	190.00	175.00	160.00	129.00	105.00	89.00	65.00	43.10	36.10	31.00	27.30	24.30	22.00
RM 225	221.00	200.00	184.00	169.00	136.00	115.00	98.00	69.80	47.30	39.60	34.10	29.90	26.70	24.10
RM 250	246.00	222.00	205.00	187.00	151.00	128.00	109.00	77.60	52.60	44.00	37.90	33.30	29.70	26.80
RM 270	266.00	240.00	221.00	202.00	163.00	138.00	117.00	83.80	56.80	47.50	40.90	35.90	32.10	29.00
RM 300	312.00	281.00	260.00	232.00	188.00	165.00	133.00	93.80	63.00	52.70	45.40	39.80	35.60	32.10
RM 320	332.00	299.00	277.00	248.00	200.00	176.00	142.00	100.00	67.20	56.20	48.40	42.50	37.90	34.30
RM 340	353.00	318.00	295.00	263.00	213.00	187.00	151.00	106.00	71.40	59.70	51.40	45.20	40.30	36.40
RM 355	369.00	332.00	308.00	275.00	222.00	196.00	157.00	111.00	74.60	62.40	53.70	47.20	42.10	38.00
RM 380	395.00	356.00	329.00	294.00	238.00	209.00	169.00	119.00	79.80	66.80	57.50	50.50	45.00	40.70
RM 400	405.00	365.00	338.00	302.00	244.00	215.00	173.00	125.00	84.00	70.30	60.50	53.10	47.40	42.80
RM 450	443.00	400.00	369.00	337.00	272.00	238.00	203.00	149.00	94.50	79.10	68.00	59.80	53.30	48.20
RM 500	492.00	444.00	410.00	374.00	302.00	264.00	226.00	166.00	105.00	87.90	75.60	66.40	59.20	53.60
RM 550	541.00	489.00	451.00	412.00	332.00	291.00	248.00	182.00	116.00	96.70	83.10	73.10	65.10	58.90
RM 600	591.00	533.00	492.00	449.00	363.00	317.00	271.00	199.00	126.00	105.40	90.70	79.70	71.10	64.30
RM 675	665.00	600.00	554.00	506.00	408.00	357.00	305.00	224.00	142.00	118.80	102.20	89.80	80.20	72.40
RM 750	738.00	667.00	615.00	562.00	453.00	397.00	338.00	248.00	158.00	132.20	113.80	99.90	89.20	80.60
RM 1000	984.00	889.00	820.00	749.00	604.00	529.00	451.00	331.00	210.00	175.70	151.20	132.80	118.50	107.10
RM 1250	1231.00	1111.00	1025.00	936.00	756.00	661.00	564.00	414.00	263.00	220.00	189.40	166.30	148.40	134.10



Current (Amps) to 1.05V @ 20°C (68°F)

Type	Minutes				Hours									
	5	10	20	30	1	1.5	2	3	5	6	7	8	9	10
RM 11	14.70	13.40	11.20	9.90	7.50	6.16	5.02	3.52	2.38	1.99	1.71	1.50	1.33	1.20
RM 18	24.10	21.90	18.30	16.10	12.30	10.10	8.20	5.76	3.89	3.25	2.79	2.45	2.18	1.96
RM 24	32.20	29.20	24.40	21.50	16.40	13.40	11.00	7.68	5.18	4.33	3.71	3.26	2.90	2.62
RM 30	40.20	36.50	30.50	26.90	20.50	16.80	13.70	9.60	6.48	5.41	4.65	4.07	3.63	3.27
RM 40	49.20	43.10	36.90	33.80	27.40	22.50	18.20	12.80	8.64	7.21	6.20	5.43	4.84	4.36
RM 48	64.60	56.60	48.50	44.40	33.20	27.20	22.40	15.90	10.40	8.68	7.46	6.54	5.82	5.25
RM 55	80.00	70.00	60.00	55.00	39.00	32.80	26.60	19.00	12.10	10.10	8.68	7.61	6.78	6.11
RM 65	85.00	78.00	70.00	64.00	47.00	38.40	30.60	21.20	14.10	11.77	10.11	8.87	7.90	7.12
RM 75	98.00	90.00	80.00	74.00	55.00	44.30	35.30	24.50	16.20	13.53	11.62	10.19	9.07	8.18
RM 90	118.00	108.00	97.00	88.00	65.00	53.20	42.40	29.40	19.50	16.28	13.98	12.26	10.92	9.85
RM 110	144.00	132.00	118.00	108.00	80.00	65.00	51.80	35.90	23.80	19.87	17.07	14.96	13.33	12.02
RM 125	154.00	139.00	127.00	116.00	89.00	74.00	59.10	41.20	26.90	22.46	19.29	16.91	15.06	13.58
RM 140	181.00	164.00	150.00	137.00	105.00	83.00	66.20	46.20	30.10	25.13	21.59	18.93	16.86	15.20
RM 160	207.00	187.00	172.00	156.00	120.00	95.00	75.70	52.80	34.40	28.72	24.67	21.63	19.26	17.37
RM 185	239.00	217.00	199.00	180.00	139.00	110.00	88.00	61.00	39.80	33.20	28.50	25.00	22.30	20.10
RM 205	265.00	240.00	220.00	200.00	154.00	122.00	97.00	67.60	44.10	36.80	31.60	27.70	24.70	22.30
RM 225	279.00	253.00	232.00	211.00	162.00	134.00	106.00	74.20	48.40	40.40	34.70	30.40	27.10	24.40
RM 250	310.00	281.00	258.00	234.00	180.00	149.00	118.00	82.40	53.80	44.90	38.60	33.80	30.10	27.20
RM 270	335.00	303.00	278.00	253.00	195.00	161.00	128.00	89.00	58.10	48.50	41.70	36.50	32.50	29.30
RM 300	377.00	346.00	315.00	284.00	223.00	185.00	141.00	96.00	64.50	53.90	46.30	40.60	36.10	32.60
RM 320	402.00	369.00	336.00	303.00	238.00	197.00	150.00	102.00	68.80	57.40	49.30	43.30	38.50	34.70
RM 340	427.00	392.00	357.00	322.00	253.00	209.00	160.00	109.00	73.10	61.00	52.40	46.00	40.90	36.90
RM 355	446.00	410.00	373.00	336.00	264.00	218.00	167.00	114.00	76.30	63.70	54.70	48.00	42.70	38.50
RM 380	477.00	438.00	399.00	360.00	283.00	234.00	178.00	122.00	81.70	68.20	58.60	51.40	45.80	41.30
RM 400	490.00	450.00	410.00	369.00	290.00	240.00	183.00	128.00	86.00	71.80	61.70	54.10	48.20	43.40
RM 450	558.00	506.00	464.00	421.00	320.00	269.00	218.00	156.00	99.00	82.70	71.00	62.20	55.40	50.00
RM 500	620.00	562.00	516.00	468.00	356.00	299.00	242.00	173.00	110.00	91.90	78.90	69.10	61.60	55.60
RM 550	682.00	618.00	567.00	515.00	391.00	329.00	266.00	191.00	121.00	101.10	86.80	76.00	67.70	61.10
RM 600	744.00	675.00	619.00	561.00	427.00	359.00	291.00	208.00	132.00	110.20	94.70	83.00	73.90	66.70
RM 675	837.00	759.00	696.00	632.00	480.00	404.00	327.00	234.00	149.00	124.40	106.90	93.70	83.40	75.20
RM 750	930.00	843.00	773.00	702.00	533.00	448.00	363.00	260.00	165.00	137.80	118.30	103.70	92.40	83.30
RM 1000	1240.00	1124.00	1031.00	936.00	711.00	598.00	484.00	347.00	220.00	183.70	157.80	138.30	123.20	111.10
RM 1250	1550.00	1406.00	1289.00	1169.00	889.00	747.00	606.00	433.00	275.00	229.60	197.20	172.90	154.00	138.90

Current (Amps) to 1.00V @ 20°C (68°F)

Type	Minutes				Hours									
	5	10	20	30	1	1.5	2	3	5	6	7	8	9	10
RM 11	16.90	15.90	13.50	11.80	8.60	6.71	5.32	3.70	2.42	2.02	1.74	1.52	1.36	1.22
RM 18	27.70	26.00	22.10	19.80	14.50	11.00	8.70	6.06	3.96	3.31	2.84	2.49	2.22	2.00
RM 24	37.00	34.70	29.50	26.40	19.40	14.60	11.60	8.08	5.28	4.41	3.79	3.32	2.96	2.67
RM 30	46.20	43.40	36.90	33.00	24.30	18.30	14.50	10.10	6.60	5.51	4.73	4.15	3.70	3.33
RM 40	55.40	50.50	42.50	44.00	32.40	24.40	19.40	13.46	8.80	7.35	6.31	5.53	4.93	4.44
RM 48	72.70	66.30	54.80	52.30	37.80	30.30	23.70	16.30	10.50	8.77	7.53	6.60	5.88	5.30
RM 55	90.00	82.00	67.00	60.50	44.50	36.20	27.90	19.20	12.20	10.19	8.75	7.67	6.83	6.16
RM 65	98.00	91.00	80.00	74.00	54.00	40.70	32.00	21.90	14.30	11.94	10.26	8.99	8.01	7.22
RM 75	113.00	105.00	93.00	85.00	62.00	46.90	36.90	25.20	16.50	13.78	11.83	10.37	9.24	8.33
RM 90	135.00	126.00	111.00	102.00	74.00	56.30	44.30	30.30	19.80	16.53	14.20	12.45	11.09	10.00
RM 110	165.00	154.00	136.00	125.00	91.00	68.80	54.10	37.00	24.20	20.21	17.35	15.22	13.55	12.22
RM 125	182.00	168.00	151.00	139.00	101.00	79.00	61.00	42.10	27.50	22.96	19.72	17.29	15.40	13.89
RM 140	215.00	198.00	178.00	164.00	120.00	89.00	68.30	47.10	30.80	25.72	22.09	19.37	17.25	15.55
RM 160	246.00	226.00	203.00	187.00	137.00	101.00	78.00	53.90	35.20	29.39	25.24	22.13	19.71	17.78
RM 185	284.00	262.00	235.00	217.00	158.00	117.00	90.00	62.30	40.70	34.00	29.20	25.60	22.80	20.60
RM 205	315.00	290.00	260.00	240.00	175.00	130.00	100.00	69.00	45.10	37.70	32.30	28.40	25.30	22.80
RM 225	332.00	306.00	274.00	253.00	186.00	143.00	110.00	75.70	49.50	41.30	35.50	31.10	27.70	25.00
RM 250	369.00	340.00	304.00	281.00	205.00	159.00	122.00	84.10	55.00	45.90	39.40	34.60	30.80	27.80
RM 270	398.00	367.00	329.00	303.00	223.00	171.00	132.00	90.90	59.40	49.60	42.60	37.30	33.30	30.00
RM 300	460.00	415.00	370.00	335.00	250.00	187.00	144.00	98.30	66.00	55.10	47.30	41.50	37.00	33.30
RM 320	491.00	443.00	395.00	358.00	267.00	199.00	153.00	105.00	70.40	58.80	50.50	44.30	39.40	35.60
RM 340	521.00	471.00	419.00	380.00	283.00	212.00	163.00	111.00	74.80	62.50	53.60	47.00	41.90	37.80
RM 355	544.00	492.00	438.00	397.00	296.00	221.00	170.00	116.00	78.10	65.20	56.00	49.10	43.70	39.40
RM 380	583.00	526.00	469.00	425.00	317.00	237.00	182.00	124.00	83.60	69.80	60.00	52.60	46.80	42.20
RM 400	598.00	540.00	481.00	436.00	325.00	243.00	187.00	131.00	88.00	73.50	63.10	55.30	49.30	44.40
RM 450	664.00	612.00	547.00	495.00	365.00	297.00	229.00	158.00	99.90	83.40	71.60	62.80	55.90	50.40
RM 500	738.00	680.00	608.00	550.00	406.00	330.00	254.00	176.00	111.00	92.70	79.60	69.80	62.10	56.00
RM 550	812.00	748.00	669.00	605.00	446.00	363.00	280.00	193.00	122.00	101.90	87.50	76.80	68.30	61.60
RM 600	885.00	816.00	729.00	660.00	487.00	396.00	305.00	211.00	133.00	111.10	95.40	83.60	74.50	67.20
RM 675	996.00	918.00	821.00	743.00	548.00	446.00	344.00	237.00	150.00	125.30	107.60	94.30	84.00	75.80
RM 750	1107.00	1020.00	912.00	825.00	608.00	495.00	382.00	263.00	167.00	139.40	119.80	105.00	93.50	84.30
RM 1000	1476.00	1360.00	1216.00	1100.00	811.00	660.00	509.00	351.00	222.00	185.40	159.20	139.60	124.30	112.10
RM 1250	1844.00	1700.00	1519.00	1375.00	1014.00	825.00	636.00	439.00	278.00	232.10	199.40	174.80	155.70	140.40



**EnerSys**  
 P.O. Box 14145  
 Reading, PA 19612-4145  
 USA  
 Tel: +1-610-208-1991  
 +1-800-538-3627  
 Fax: +1-610-372-8613

**EnerSys EMEA**  
 Brussels, Belgium  
 Tel: +32 (0)2 247 94 47

**EnerSys Asia**  
 Guangdong, China  
 Tel: +86-755-2689 3639

**EnerSys Limited**  
 Rake Lane,  
 Clifton Junction,  
 Swinton, Manchester  
 M27 8LR, UK  
 Tel: +44 (0)161 794 4611  
 Fax: +44 (0)161 727 3809

Contact:

© 2006 EnerSys. All rights reserved.